ELSEVIER

Mechanisms of Development 51 (1995) 351–352

MOD

Author index

Volume 51 (1995)

Acampora, D., see Simeone, A. **51**, 83
Akhmanova, A., see Miedema, K. **51**, 67
Arra, C., see Simeone, A. **51**, 83
Avantaggiato, V., see Simeone, A. **51**, 83

Bindels, P., see Miedema, K. **51**, 67
Bolcato-Bellemin, A.L., see Stoetzel, C. **51**, 251
Bourgeois, P., see Stoetzel, C. **51**, 251
Boyle, L., see Kose, H. **51**, 275
Brunet, J.-F., see Tissier-Seta, J.-P. **51**, 3

Cai, H., see Tatei, K. **51**, 157
Catala, M., M.-A. Teillet, N.M. Le Douarin, Organization and development of the tail bud analyzed with the quail-chick chimaera system **51**, 51
Chang, W., see Kose, H. **51**, 275
Christiansen, J.H., C.L. Dennis, C.A. Wicking, S.J. Monkley, D.G. Wilkinson, B.J. Wainwright, Murine *Wnt*-11 and *Wnt*-12 have temporally and spatially restricted expression patterns during embryonic development **51**, 341
Cohen, R.S., see Serano, T.L. **51**, 183
Colas, J.-F., see Rosay, P. **51**, 329
Cotelli, F., see Simeone, A. **51**, 83

Dennis, C.L., see Christiansen, J.H. **51**, 341

Fainsod, A., see Schubert, F.R. **51**, 99
Francis-Lang, H., see Myers, F.A. **51**, 217
Fundele, R., see Svensson, K. **51**, 31

Gerster, T., see Hauptmann, G. **51**, 127
Goridis, C., see Tissier-Seta, J.-P. **51**, 3
Gruenbaum, Y., see Schubert, F.R. **51**, 99
Gruss, P., see Schubert, F.R. **51**, 99

Hanske, M., see Miedema, K. **51**, 67
Hartley, D.A., see Tata, F. **51**, 305
Hauptmann, G., T. Gerster, *Pou-2* — a zebrafish gene active during cleavage stages and in the early hindbrain **51**, 127
Hennig, W., see Miedema, K. **51**, 67
Holder, N., see Neave, B. **51**, 169

Ip, Y.T., see Tatei, K. **51**, 157

Karlin-McGinness, M., see Serano, T.L. **51**, 183
Karr, T.L., see Kose, H. **51**, 275
Katsuyama, Y., see Wada, S. **51**, 115
Kimelman, D., see Schuh, T.J. **51**, 39
Klingensmith, J., see Noordermeer, J. **51**, 145
Kornberg, T.B., see Raeber, A.J. **51**, 317
Kose, H., W. Chang, L. Boyle, T.L. Karr, Organization of *Wolbachia pipientis* in the *Drosophila* fertilized egg and embryo revealed by an anti-Wolbachia monoclonal antibody **51**, 275

Lakhotia, S.C., see Mukherjee, A. **51**, 227
Le Douarin, N.M., see Catala, M. **51**, 51
Levine, M., see Tatei, K. **51**, 157

Mackem, S., see Ranson, M. **51**, 17
Mahon, K.A., see Ranson, M. **51**, 17
Marín, F., see Martínez, S. **51**, 289
Mark, M., see Tissier-Seta, J.-P. **51**, 3
Maroteaux, L., see Rosay, P. **51**, 329
Martínez, S., F. Marín, M.A. Nieto, L. Puelles, Induction of ectopic *engrailed* expression and fate change in avian rhombomeres: intersegmental boundaries as barriers **51**, 289
Mattei, M.-G., see Tissier-Seta, J.-P. **51**, 3
Mavilio, F., see Simeone, A. **51**, 83
Miedema, K., M. Hanske, A. Akhmanova, P. Bindels, W. Hennig, Minor-myosin, a novel myosin isoform synthesized preferentially in *Drosophila* testis is encoded by the muscle myosin heavy chain gene **51**, 67
Monkley, S.J., see Christiansen, J.H. **51**, 341
Moroni, M.C., see Simeone, A. **51**, 83
Mucchielli, M.-L., see Tissier-Seta, J.-P. **51**, 3
Mukherjee, A., S.C. Lakhotia, J.K. Roy, *l(2)gl* gene regulates late expression of segment polarity genes in *Drosophila* **51**, 227
Muramoto, T., see Raeber, A.J. **51**, 317
Murre, C., see Roberts, V.J. **51**, 193
Myers, F.A., H. Francis-Lang, S.F. Newbury, Degradation of maternal *string* mRNA is controlled by proteins encoded on maternally contributed transcripts **51**, 217

Neave, B., A. Rodaway, S.W. Wilson, R. Patient, N. Holder, Expression of zebrafish GATA 3 (*gta3*) during gastrulation and neurulation suggests a role in the specification of cell fate **51**, 169
Newbury, S.F., see Myers, F.A. **51**, 217
Nieto, M.A., see Martínez, S. **51**, 289
Nigro, V., see Simeone, A. **51**, 83
Noguchi, S., see Suemori, H. **51**, 265
Noordermeer, J., J. Klingensmith, R. Nusse, Differential requirements for segment polarity genes in wingless signaling **51**, 145
Nusse, R., see Noordermeer, J. **51**, 145

Ohlsson, R., see Svensson, K. **51**, 31

Patient, R., see Neave, B. **51**, 169
Perrin-Schmitt, F., see Stoetzel, C. **51**, 251

0925-4773/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Perron, M., L. Théodore, M. Wegnez, Isolation and embryonic expression of *Xel-1*, a nervous system-specific *Xenopus* gene related to the *elav* gene family **51**, 235
Prusiner, S.B., see Raeber, A.J. **51**, 317
Puelles, L., see Martínez, S. **51**, 289

Raeber, A.J., T. Muramoto, T.B. Kornberg, S.B. Prusiner, Expression and targeting of Syrian hamster prion protein induced by heat shock in transgenic *Drosophila melanogaster* **51**, 317
Ranson, M., C. Tickle, K.A. Mahon, S. Mackem, *Gnot1*, a member of a new homeobox gene subfamily, is expressed in a dynamic, region-specific domain along the proximodistal axis of the developing limb **51**, 17
Roberts, V.J., M.A. van Dijk, C. Murre, Localization of *Pbx1* transcripts in developing rat embryos **51**, 193
Rodaway, A., see Neave, B. **51**, 169
Rosay, P., J.-F. Colas, L. Maroteaux, Dual organisation of the *Drosophila* neuropeptide receptor *NKD* gene promoter **51**, 329
Roy, J.K., see Mukherjee, A. **51**, 227

Sackerson, C., Patterns of conservation and divergence at the *even-skipped* locus of *Drosophila* **51**, 199
Saiga, H., see Wada, S. **51**, 115
Schubert, F.R., A. Fainsod, Y. Gruenbaum, P. Gruss, Expression of the novel murine homeobox gene *Sax-1* in the developing nervous system **51**, 99
Schuh, T.J., D. Kimelman, COUP-TFI is a potential regulator of retinoic acid-modulated development in *Xenopus* embryos **51**, 39
Serano, T.L., M. Karlin-McGinness, R.S. Cohen, The role of *fs(1)K10* in the localization of the mRNA of the TGFα homolog *gurken* within the *Drosophila* oocyte **51**, 183
Simeone, A., V. Avantaggiato, M.C. Moroni, F. Mavilio, C. Arra, F. Cotelli, V. Nigro, D. Acampora, Retinoic acid induces stage-specific antero-posterior transformation of rostral central nervous system **51**, 83
Stoetzel, C., B. Weber, P. Bourgeois, A.L. Bolcato-Bellemin, F. Perrin-Schmitt, Dorso-ventral and rostro-caudal sequential expression of *M-twist* in the postimplantation murine embryo **51**, 251
Suemori, H., N. Takahashi, S. Noguchi, *Hoxc-9* mutant mice show anterior transformation of the vertebrae and malformation of the sternum and ribs **51**, 265
Svensson, K., C. Walsh, R. Fundele, R. Ohlsson, *H19* is imprinted in the choroid plexus and leptomeninges of the mouse foetus **51**, 31

Takahashi, N., see Suemori, H. **51**, 265
Tata, F., D.A. Hartley, Inhibition of cell fate in *Drosophila* by *Enhancer of split* genes **51**, 305
Tatei, K., H. Cai, Y.T. Ip, M. Levine, Race: A drosophila homologue of the angiotensin converting enzyme **51**, 157
Teillet, M.-A., see Catala, M. **51**, 51
Théodore, L., see Perron, M. **51**, 235
Tickle, C., see Ranson, M. **51**, 17
Tissier-Seta, J.-P., M.-L. Mucchielli, M. Mark, M.-G. Mattei, C. Goridis, J.-F. Brunet, *Barx1*, a new mouse homeodomain transcription factor expressed in cranio-facial ectomesenchyme and the stomach **51**, 3

van Dijk, M.A., see Roberts, V.J. **51**, 193

Wada, S., Y. Katsuyama, S. Yasugi, H. Saiga, Spatially and temporally regulated expression of the LIM class homeobox gene *Hrlim* suggests multiple distinct functions in development of the ascidian, *Halocynthia roretzi* **51**, 115
Wainwright, B.J., see Christiansen, J.H. **51**, 341
Walsh, C., see Svensson, K. **51**, 31
Weber, B., see Stoetzel, C. **51**, 251
Wegnez, M., see Perron, M. **51**, 235
Wicking, C.A., see Christiansen, J.H. **51**, 341
Wilkinson, D.G., see Christiansen, J.H. **51**, 341
Wilson, S.W., see Neave, B. **51**, 169

Yasugi, S., see Wada, S. **51**, 115

ELSEVIER

Mechanisms of Development 51 (1995) 353–356

Subject index

Volume 51 (1995)

Apical ectodermal ridge; *Wnt*; Mouse; Signalling molecule; Myotome; Limb **51**, 341

Ascidian; Gene expression; Homeobox; In situ hybridization; LIM **51**, 115

Atonal; G protein-coupled receptors; Transcription; Peripheral nervous system; Tachykinin **51**, 329

Avian embryo gastrulation; Chordo-neural hinge; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation **51**, 51

Blood cells; GATA genes; Transcription factors; Gastrulation; Cell fate; Neurons; Development **51**, 169

Brachyury curtailed; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Danforth's short tail*; *Evx-1*; *Pax-6* **51**, 99

Cell fate; GATA genes; Transcription factors; Gastrulation; Blood cells; Neurons; Development **51**, 169

Cell fate determination; *Enhancer of split*; Helix-loop-helix proteins; *Drosophila*; Neurogenesis **51**, 305

Chick embryo; Homeobox genes; Limb development; Pattern formation **51**, 17

Chimeras; *Engrailed*; Rhombomeres; Planar induction; Interrhombomeric limits; Pattern formation **51**, 289

Chordo-neural hinge; Avian embryo gastrulation; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation **51**, 51

Comparative study; *Even-skipped* (*eve*); Hawaiian picture-winged *Drosophila*; Regulatory sequences; Segmentation; Pair-rule gene **51**, 199

COUP-TFI; *Xenopus*; Embryogenesis; Retinoic acid; Neural development **51**, 39

Craniofacial development; Homeobox; Neural crest; Tooth development; Stomach **51**, 3

Cubitus interruptus Dominant; *1(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; Polarity genes; Flip recombination **51**, 227

Cytoplasmic incompatibility; *Walbachia*; *Drosophila*; Symbiosis **51**, 275

Danforth's short tail; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Evx-1*; *Pax-6* **51**, 99

Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis **51**, 67

Development; GATA genes; Transcription factors; Gastrulation; Cell fate; Blood cells; Neurons **51**, 169

Dorsoventral patterning; *rosophila* oogenesis; *Drosophila* K10 gene; Pattern formation; mRNA localization; *Drosophila grk* gene **51**, 183

***Drosophila grk* gene**; *Drosophila* oogenesis; *Drosophila* K10 gene; Dorsoventral patterning; Pattern formation; mRNA localization **51**, 183

Drosophila; *Enhancer of split*; Helix-loop-helix proteins; Cell fate determination; Neurogenesis **51**, 305

Drosophila; *String*; mRNA stability; Maternal mRNA **51**, 217

Drosophila; *Walbachia*; Cytoplasmic incompatibility; Symbiosis **51**, 275

Drosophila; Development; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis **51**, 67

Drosophila; Transgenic flies; Prion protein; Heat shock proteins **51**, 317

***Drosophila* embryogenesis**; Segment polarity genes; *Wingless* gene expression; *Engrailed* gene **51**, 145

***Drosophila* K10 gene**; *Drosophila* oogenesis; Dorsoventral patterning; Pattern formation; mRNA localization; *Drosophila grk* gene **51**, 183

***Drosophila* oogenesis**; *Drosophila* K10 gene; Dorsoventral patterning; Pattern formation; mRNA localization; *Drosophila grk* gene **51**, 183

***Drosophila* tumour suppressor genes**; *1(2)gl*; *engrailed*; *Cubitus interruptus Dominant*; Polarity genes; Flip recombination **51**, 227

elav; *Xenopus*; Nervous system; RNA-binding proteins; Hu proteins **51**, 235

Embryogenesis; *Xenopus*; COUP-TFI; Retinoic acid; Neural development **51**, 39

engrailed; *1(2)gl*; *Drosophila* tumour suppressor genes; *Cubitus interruptus Dominant*; Polarity genes; Flip recombination **51**, 227

0925-4773/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Engrailed; indbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2* **51**, 127

Engrailed; Rhombomeres; Planar induction; Chimeras; Interrhombomeric limits; Pattern formation **51**, 289

***Engrailed* gene**; *Drosophila* embryogenesis; Segment polarity genes; *Wingless* gene expression **51**, 145

Enhancer of split; Helix-loop-helix proteins; Cell fate determination; *Drosophila*; Neurogenesis **51**, 305

***Even-skipped* (*eve*)**; Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Segmentation; Pair-rule gene **51**, 199

Evx-1; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Pax-6* **51**, 99

Extra-embryonic tissues; Mouse; Postgastrulation; *M-twist*; Mesodermal layer; Neural crest derivatives **51**, 251

Flip recombination; *1(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus Dominant*; Polarity genes **51**, 227

Forebrain; Retinoic acid; Neural pattern; *Otx2*; Gastrulation **51**, 83

G protein-coupled receptors; Transcription; Atonal; Peripheral nervous system; Tachykinin **51**, 329

Gastrulation; GATA genes; Transcription factors; Cell fate; Blood cells; Neurons; Development **51**, 169

Gastrulation; Retinoic acid; Neural pattern; *Otx2*; Forebrain **51**, 83

GATA genes; Transcription factors; Gastrulation; Cell fate; Blood cells; Neurons; Development **51**, 169

Gene expression; Ascidian; Homeobox; In situ hybridization; LIM **51**, 115

Gene targetting; *Hox C Abd-B* genes; *Hoxc-9*; *Hoxc-8*; Mouse **51**, 265

1(2)gl; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus Dominant*; Polarity genes; Flip recombination **51**, 227

Group I(2)34Eb; *Related to Angiotensin Converting Enzyme*; Hox genes **51**, 157

H19; *Igf-2*; Mouse choroid plexus/leptomeninges; Imprinting **51**, 31

Hawaiian picture-winged *Drosophila*; *Even-skipped* (*eve*); Comparative study; Regulatory sequences; Segmentation; Pair-rule gene **51**, 199

Heat shock proteins; Transgenic flies; Prion protein; *Drosophila* **51**, 317

Helix-loop-helix proteins; *Enhancer of split*; Cell fate determination; *Drosophila*; Neurogenesis **51**, 305

Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* **51**, 127

Homeobox; Ascidian; Gene expression; In situ hybridization; LIM **51**, 115

Homeobox; Neural crest; Craniofacial development; Tooth development; Stomach **51**, 3

Homeobox; Neural induction; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* **51**, 99

Homeobox genes; Chick embryo; Limb development; Pattern formation **51**, 17

Homeodomain proteins; *Pbx1*; *Hox*; Homeotic genes **51**, 193

Homeotic genes; *Pbx1*; *Hox*; Homeodomain proteins **51**, 193

***Hox C Abd-B* genes**; *Hoxc-9*; *Hoxc-8*; Mouse; Gene targetting **51**, 265

Hox genes; *Related to Angiotensin Converting Enzyme*; Group I(2)34Eb **51**, 157

Hox; *Pbx1*; Homeodomain proteins; Homeotic genes **51**, 193

Hoxc-8; *Hox C Abd-B* genes; *Hoxc-9*; Mouse; Gene targetting **51**, 265

Hoxc-9; *Hox C Abd-B* genes; *Hoxc-8*; Mouse; Gene targetting **51**, 265

Hu proteins; *Xenopus*; Nervous system; RNA-binding proteins; *elav* **51**, 235

Igf-2; *H19*; Mouse choroid plexus/leptomeninges; Imprinting **51**, 31

Imprinting; *H19*; *Igf-2*; Mouse choroid plexus/leptomeninges **51**, 31

In situ hybridization; Ascidian; Gene expression; Homeobox; LIM **51**, 115

In situ hybridization; Hindbrain; Rhombomeres; Retinoic acid; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* **51**, 127

Interrhombomeric limits; *Engrailed*; Rhombomeres; Planar induction; Chimeras; Pattern formation **51**, 289

Krx-20; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Pax-2*; *Engrailed* **51**, 127

LIM; Ascidian; Gene expression; Homeobox; In situ hybridization **51**, 115

Limb; *Wnt*; Mouse; Signalling molecule; Myotome; Apical ectodermal ridge **51**, 341

Limb development; Homeobox genes; Chick embryo; Pattern formation **51**, 17

Lumbo-sacro-caudal fate map of avian embryo; Chordo-neural hinge; Avian embryo gastrulation; Origin of floor plate; Primary and secondary neurulation **51**, 51

M-twist; Mouse; Postgastrulation; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues **51**, 251

Male germ line; Development; *Drosophila*; Muscle-myosin heavy chain; Myosin isoform; Testis; Spermatogenesis **51**, 67

Maternal mRNA; *String*; mRNA stability; *Drosophila* **51**, 217

Mesodermal layer; Mouse; Postgastrulation; *M-twist*; Neural crest derivatives; Extra-embryonic tissues **51**, 251

Mouse; *Hox C Abd-B* genes; *Hoxc-9*; *Hoxc-8*; Gene targetting **51**, 265

Mouse; *Wnt*; Signalling molecule; Myotome; Limb; Apical ectodermal ridge **51**, 341

Mouse; Postgastrulation; *M-twist*; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues **51**, 251

Mouse choroid plexus/leptomeninges; *H19*; *Igf-2*; Imprinting **51**, 31

mRNA localization; *Drosophila* oogenesis; *Drosophila* K10 gene; Dorsoventral patterning; Pattern formation; *Drosophila grk* gene **51**, 183

mRNA stability; *String*; Maternal mRNA; *Drosophila* **51**, 217

Muscle-myosin heavy chain; Development; *Drosophila*; Male germ line; Myosin isoform; Testis; Spermatogenesis **51**, 67

Myosin isoform; Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Testis; Spermatogenesis **51**, 67

Myotome; *Wnt*; Mouse; Signalling molecule; Limb; Apical ectodermal ridge **51**, 341

Nervous system; *Xenopus*; RNA-binding proteins; *elav*; Hu proteins **51**, 235

Neural crest; Homeobox; Craniofacial development; Tooth development; Stomach **51**, 3

Neural crest derivatives; Mouse; Postgastrulation; *M-twist*; Mesodermal layer; Extra-embryonic tissues **51**, 251

Neural development; *Xenopus*; Embryogenesis; COUP-TFI; Retinoic acid **51**, 39

Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* **51**, 99

Neural pattern; Retinoic acid; *Otx2*; Gastrulation; Forebrain **51**, 83

Neurogenesis; *Enhancer of split*; Helix-loop-helix proteins; Cell fate determination; *Drosophila* **51**, 305

Neurons; GATA genes; Transcription factors; Gastrulation; Cell fate; Blood cells; Development **51**, 169

Origin of floor plate; Chordo-neural hinge; Avian embryo gastrulation; Lumbo-sacro-caudal fate map of avian embryo; Primary and secondary neurulation **51**, 51

Otx2; Retinoic acid; Neural pattern; Gastrulation; Forebrain **51**, 83

P19 EC cells; Neural induction; Homeobox; Spinal cord; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* **51**, 99

Pair-rule gene; *Even-skipped* (*eve*); Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Segmentation **51**, 199

Pattern formation; *Drosophila* oogenesis; *Drosophila* K10 gene; Dorsoventral patterning; mRNA localization; *Drosophila grk* gene **51**, 183

Pattern formation; *Engrailed*; Rhombomeres; Planar induction; Chimeras; Interrhombomeric limits **51**, 289

Pattern formation; Homeobox genes; Chick embryo; Limb development **51**, 17

Pax-2; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Engrailed* **51**, 127

Pax-6; Neural induction; Homeobox; Spinal cord; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1* **51**, 99

Pbx1; *Hox*; Homeodomain proteins; Homeotic genes **51**, 193

Peripheral nervous system; G protein-coupled receptors; Transcription; Atonal; Tachykinin **51**, 329

Planar induction; *Engrailed*; Rhombomeres; Chimeras; Interrhombomeric limits; Pattern formation **51**, 289

Polarity genes; *l(2)gl*; *Drosophila* tumour suppressor genes; *engrailed*; *Cubitus interruptus Dominant*; Flip recombination **51**, 227

Postgastrulation; Mouse; *M-twist*; Mesodermal layer; Neural crest derivatives; Extra-embryonic tissues **51**, 251

POU domain genes; Hindbrain; Rhombomeres; Retinoic acid; In situ hybridization; *Krx-20*; *Pax-2*; *Engrailed* **51**, 127

Primary and secondary neurulation; Chordo-neural hinge; Avian embryo gastrulation; Origin of floor plate; Lumbo-sacro-caudal fate map of avian embryo **51**, 51

Prion protein; Transgenic flies; Heat shock proteins; *Drosophila* **51**, 317

Regulatory sequences; *Even-skipped* (*eve*); Hawaiian picture-winged *Drosophila*; Comparative study; Segmentation; Pair-rule gene **51**, 199

Related to Angiotensin Converting Enzyme; Hox genes; Group l(2)34Eb **51**, 157

Retinoic acid; *Xenopus*; Embryogenesis; COUP-TFI; Neural development **51**, 39

Retinoic acid; Hindbrain; Rhombomeres; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* **51**, 127

Retinoic acid; Neural pattern; *Otx2*; Gastrulation; Forebrain **51**, 83

Rhombomeres; *Engrailed*; Planar induction; Chimeras; Interrhombomeric limits; Pattern formation **51**, 289

Rhombomeres; Hindbrain; Retinoic acid; In situ hybridization; POU domain genes; *Krx-20*; *Pax-2*; *Engrailed* **51**, 127

RNA-binding proteins; *Xenopus*; Nervous system; *elav*; Hu proteins **51**, 235

Segment polarity genes; *Drosophila* embryogenesis; *Wingless* gene expression; *Engrailed* gene **51**, 145

Segmentation; *Even-skipped* (*eve*); Hawaiian picture-winged *Drosophila*; Comparative study; Regulatory sequences; Pair-rule gene **51**, 199

Signalling molecule; *Wnt*; Mouse; Myotome; Limb; Apical ectodermal ridge **51**, 341

Spermatogenesis; Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Testis **51**, 67

Spinal cord; Neural induction; Homeobox; P19 EC cells; *Brachyury curtailed*; *Danforth's short tail*; *Evx-1*; *Pax-6* **51**, 99

Stomach; Homeobox; Neural crest; Craniofacial development; Tooth development **51**, 3

String; mRNA stability; Maternal mRNA; *Drosophila* **51**, 217

Symbiosis; *Walbachia*; *Drosophila*; Cytoplasmic incompatibility **51**, 275

Tachykinin; G protein-coupled receptors; Transcription; Atonal; Peripheral nervous system **51**, 329

Testis; Development; *Drosophila*; Male germ line; Muscle-myosin heavy chain; Myosin isoform; Spermatogenesis **51**, 67

Tooth development; Homeobox; Neural crest; Craniofacial development; Stomach **51**, 3

Transcription; G protein-coupled receptors; Atonal; Peripheral nervous system; Tachykinin **51**, 329

Transcription factors; GATA genes; Gastrulation; Cell fate; Blood cells; Neurons; Development **51**, 169

Transgenic flies; Prion protein; Heat shock proteins; *Drosophila* **51**, 317

Walbachia; *Drosophila*; Cytoplasmic incompatibility; Symbiosis **51**, 275

***Wingless* gene expression**; *Drosophila* embryogenesis; Segment polarity genes; *Engrailed* gene **51**, 145

Wnt; Mouse; Signalling molecule; Myotome; Limb; Apical ectodermal ridge **51**, 341

Xenopus; Embryogenesis; COUP-TFI; Retinoic acid; Neural development **51**, 39

Xenopus; Nervous system; RNA-binding proteins; *elav*; Hu proteins **51**, 235